

FORTE 

Safty Boots Portfolio

www.forte-plus.com

All Gloves are Made in Sri Lanka - Catalogue 2023 January Release



“The right boots for the right application, only when it is necessary, to meet the needs of compliance, comfort and protection”

Name	DS-001B High Cut Gum Boot
Name	SPECIAL GUM BOOT
Code	DS-001B
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	LATEX / PU Sole
Colours	Black/Brown
Weight	Light weight -Vary with the size range
Surface Finish	Latex Rubber
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Slip Resistance / Water proof



Name	PJ-0086 High Cut Winter
Name	KABELLAWA-HIGH CUT SAFETY SHOES
Code	PJ-0086
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Oil Resitance / Saftey steel front



EN 388:2016



4X42E

EN 407



X100XXXX



ANSI



Cut

Name	PJ-0086 High Cut
Name	KABELLAWA-/HIGH CUT SAFETY SHOES
Code	PJ-0086
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Oil Resistance / Safety steel front



Name	DS-001A PU
Name	PULL UP SAFETY
Code	DS-001APU
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Oil Resistance / Safety steel front



3121X

Name	PJ-0087 LOW Cut
Name	KABELLAWA-/LOW CUT SAFETY SHOES
Code	PJ-0087
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 LOW cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Oil Resistance / Safety steel front



Name	DS-002CH
Name	CHEF SHOES
Code	DS-002CH
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown/White
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Kitchen / Non Slip



Name	DS-003FIS
Name	Flip In Shoes
Code	DS-002CH
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE
Construction	Leather upper, PU sole inclusive of non removable insole with steel toe cap and steel plate.
Surface Type	Leather upper with Barton print & PU Sole
Colours	Black/Brown/White
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	Kitchen / general area



4541B

Name	DS-004CL
Name	CANVAS LADIES
Code	DS-004CL
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE / CANVAS
Construction	CANVAS upper, PU sole inclusive of non removable insole
Surface Type	Canvasupper with Barton print & PU Sole
Colours	Black/Brown/White
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	House Keeping / General Work



0131X

Name	DS-005CM
Name	CANVAS MEN
Code	DS-005CM
PPE Risk Category	SAFETY BASIC
Main Polymer	POLYURATHENE / CANVAS
Construction	CANVAS upper, PU sole inclusive of non removable insole
Surface Type	Canvasupper with Barton print & PU Sole
Colours	Black/Brown/White
Weight	Light weight -Vary with the size range
Surface Finish	Grained leather & sole with design
Safety standard	ISO 20345:2004(E)
Sizes available	38-46 High cut
Technical Features	Size range
1.Internal length of toe cap	38 mm – Minimum-Size 40
Usage	House Keeping / General Work



0131X

www.forte-plus.com

- Forte Exports Co., Pvt Ltd
- No 81, Maligawatta Road
- Colombo 01000 - Sri Lanka
- Tel :- +94 11 2333830
- Fax:- +94 11 2082895
- info@forte-plus.com

FORTE 